

SCL® 895

Experience™ Series

STAIRCLIMBER III

Product Highlights

The Precor SCL 895 far exceeds the status quo and invites you to step up to an experience that will delight. Made from durable, high-performance parts and tested beyond industry standards, the StairClimber is built for reliability. The thoughtful design prevents sweat, dirt, and fluid ingress to deliver an ultra-smooth operation and effective cleaning in a single pass. It invites exercisers to step on and off with ease, exercise with confidence, and stay motivated with engaging content.

Product Features

P94 Touchscreen Console

The P94 console offers a brilliant 22-inch touchscreen that provides the best blend of performance, fitness, and entertainment that your exercisers expect. It's designed to deliver a best-in-class content suite with engaging workouts, wireless casting with access to thousands of third-party workout and media apps, and integrated Pluto TV, so exercisers always have the content they want, right at their fingertips. Geographically-inspired milestone workouts entice exercisers to climb 30 well-known global landmarks like the Empire State Building in New York City or the Great Pyramid of Giza.

Low Maintenance Step Chain

To decrease downtime, service panels can be removed in under one minute to easily access internal components. Constructed of high-strength steel, the 428 O-ring motorcycle step chain requires no planned maintenance – simply inspect annually. Clean and lubricate only if needed.

Tested Beyond Industry Standards

The StairClimber has exceeded industry standards, withstanding over 30 different tests, conducted over 10,000 hours in the lab and field for reliability that operators can trust.

Dynamic Step Control

The Dynamic Step Control™ system, with an industry-leading tolerance of +/- 0.5 steps per minute, ensures an accurate, consistent step rate, whether slow or fast, for exercisers of all sizes.

Specifications

Dimensions (L x W x H): 59 x 31.7 x 84 in / 150 x 81 x 213 cm

Equipment Weight: 375 lb / 170 kg

Power: 120 volt, 15 amp circuit

Recommended Ceiling Height: 9 ft 9 in / 3 m

Step Height: 8 in / 20 cm

Step Dimensions (D x W): 11 in x 20.8 in / 28 cm x 53 cm

Step Rate Range: 20 to 165 steps / minute (SPM)

Total Workouts: 10

Fit Tests: WFI and CPAT

Language: English, Danish, Dutch, French, Finnish, German, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish

Console Features: 22 in / 55.8 cm LCD Capacitive Touch Screen with wireless charging, audio jack and Bluetooth® headphones

Accessories: Integrated Reading Rack
Optional - Cable Management

Warranty: Visit www.precor.com for warranty terms.



Storm Grey



Black Pearl

Refined colorways with dark Tungsten covers and two frame color options, Storm Grey and Black Pearl.

SCL® 885

Experience™ Series

STAIRCLIMBER III

Product Highlights

The Precor SCL 885 far exceeds the status quo and invites you to step up to an experience that will delight. Made from durable, high-performance parts and tested beyond industry standards, the StairClimber is built for reliability. The thoughtful design prevents sweat, dirt, and fluid ingress to deliver an ultra-smooth operation and effective cleaning in a single pass. It invites exercisers to step on and off with ease, exercise with confidence, and stay motivated with engaging content.

Product Features

P84 Touchscreen Console

The P84 console offers a brilliant 16-inch touchscreen that provides the best blend of performance, fitness, and entertainment that your exercisers expect. It's designed to deliver a best-in-class content suite with engaging workouts, wireless casting with access to thousands of third-party workout and media apps, and integrated Pluto TV, so exercisers always have the content they want, right at their fingertips. Geographically-inspired milestone workouts entice exercisers to climb 30 well-known global landmarks like the Empire State Building in New York City or the Great Pyramid of Giza.

Low Maintenance Step Chain

To decrease downtime, service panels can be removed in under one minute to easily access internal components. Constructed of high-strength steel, the 428 O-ring motorcycle step chain requires no planned maintenance – simply inspect annually. Clean and lubricate only if needed.

Tested Beyond Industry Standards

The StairClimber has exceeded industry standards, withstanding over 30 different tests, conducted over 10,000 hours in the lab and field for reliability that operators can trust.

Dynamic Step Control

The Dynamic Step Control™ system, with an industry-leading tolerance of +/- 0.5 steps per minute, ensures an accurate, consistent step rate, whether slow or fast, for exercisers of all sizes.

Specifications

Dimensions (L x W x H): 59 x 31.7 x 84 in / 150 x 81 x 213 cm

Equipment Weight: 375 lb / 170 kg

Power: 120 volt, 15 amp circuit

Recommended Ceiling Height: 9 ft 9 in / 3 m

Step Height: 8 in / 20 cm

Step Dimensions (D x W): 11 in x 20.8 in / 28 cm x 53 cm

Step Rate Range: 20 to 165 steps / minute (SPM)

Total Workouts: 10


Fit Tests: WFI and CPAT

Language: English, Danish, Dutch, French, Finnish, German, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish

Console Features: 16 in / 40.6 cm LCD Capacitive Touch Screen with wireless charging, audio jack and Bluetooth® headphones

Accessories: Integrated Reading Rack
Optional - Cable Management

Warranty: Visit www.precor.com for warranty terms.



Storm Grey



Black Pearl

Refined colorways with dark Tungsten covers and two frame color options, Storm Grey and Black Pearl.

SCL 835

Experience™ Series

StairClimber

Product Highlights

The Precor SCL® 835 far exceeds the status quo and invites you to step up to an experience that will delight. Made from durable, high-performance parts and tested beyond industry standards, the StairClimber is built for reliability. The thoughtful design prevents sweat, dirt, and fluid ingress to deliver an ultra-smooth operation and effective cleaning in a single pass. It invites exercisers to step on and off with ease, exercise with confidence, and stay motivated with engaging content.

Product Features

Dynamic Step Control

The Dynamic Step Control™ system, with an industry-leading tolerance of +/- 0.5 steps per minute, ensures an accurate, consistent step rate, whether slow or fast, for exercisers of all sizes.

Low Maintenance Step Chain

To decrease downtime, service panels can be removed in under one minute to easily access internal components. Constructed of high-strength steel, the 428 O-ring motorcycle step chain requires no planned maintenance – simply inspect annually. Clean and lubricate only if needed.

Tested Beyond Industry Standards

The StairClimber has exceeded industry standards, withstanding over 30 different tests, conducted over 10,000 hours in the lab and field for reliability that operators can trust.

Motivating Workouts

Geographically-inspired milestone workouts entice exercisers to climb 30 well-known landmarks like the Empire State Building, or the Great Pyramid. Customizable and pre-programmed HIIT workouts designed specifically for the StairClimber offer additional motivation.

Specifications

Dimensions (L x W x H): 59 x 31.7 x 84 in / 150 x 81 x 213 cm

Equipment Weight: 375 lb / 170 kg

Power: 120 volt, 15 amp circuit

Recommended Ceiling Height: 9 ft 9 in / 3 m

Step Height: 8 in / 20 cm

Step Dimensions (D x W): 11 in x 20.8 in / 28 cm x 53 cm

Step Rate Range: 20 to 165 steps / minute (SPM)



Storm Grey

Refined colorways with dark Tungsten covers and two frame color options, Storm Grey and Black Pearl.



Black Pearl

Total Workouts: 10

Fit Tests: WFI and CPAT

Language: English, French, German, Hebrew, Italian, Japanese, Portuguese, Russian, Spanish

Asset Management: Optional with Preva®Sync™ Module

Entertainment: Optional - 15 in / 38.1 cm Personal Viewing System (PVS)

Accessories: Integrated Reading Rack, Mobile Device Charger
Optional - Cable Management

Warranty: Visit www.precor.com for warranty terms.